ELSEVIER

International Journal of Mass Spectrometry 209 (2001) 227

www.elsevier.com/locate/ijms

Author index

Adams, F., 141
Adriaens, A., 141
Aubriet, F., 5
Ávalos, F.E., 197

Belykh, S.F., 141
Bowen, R.D., 153

Cai, R., 69
Chang, Y.-S., 47

da Silveira, E.F., 197
Desaire, H., 171
Diskin, A.M., 81
Duez, B., 57

English, R.D., 113

Farrugia, J.M., 99
Fiegele, T., 23
Foltin, V., 23
Fujii, T., 39, 133

Hall, S.C., 47
Heydorn, L.N., 153
Hong, H.-B., 47
Hou, H., 69

Iwase, K., 39

Ji, Y., 81

Kim, B.-H., 47
Kishi, H., 133
Kong, Q., 69
Kovarsky, A.P., 141

Lawrence, A.H., 185
Leary, J.A., 171
Li, Y., 69
Lukac, P., 23

Märk, T.D., 23
Mason, N., 23
Masuoka, T., 125
Maunit, B., 5
Menon, A.G., 209
Migeon, H.-N., 57
Muller, J.-F., 5

Neudorfl, P., 185

O'Hair, R.A.J., 99

Palitsin, V.V., 141
Ponciano, C.R., 197
Pramann, A., 1

Qian, S., 69

Rademann, K., 1
Rentería, A., 197

Sablier, M., 39
Scheier, P., 23
Scherrer, H., 57
Schweikert, E.A., 113
Selvin, P.C., 39
Settineri, T.A., 47
Sevugarajan, S., 209
Smith, D., 81
Španěl, P., 81
Stamatovic, A., 23
Stone, J.A., 185

Tahara, A., 133
Taverner, T., 99
Terlouw, J.K., 153

Van Stipdonk, M.J., 113

Wang, J., 69
Wirtz, T., 57

Xu, J., 69

Yamazaki, H., 31

Zhao, L., 69
Zhuang, J., 69

ELSEVIER

International Journal of Mass Spectrometry 209 (2001) 229–232

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Subject index

Ab initio calculations
Side-chain involvement in the fragmentation reactions of the protonated methyl esters of histidine and its peptides, 99
Aggregation processes
Speciation of chromium compounds by laser ablation/ionization mass spectrometry and a study of matrix effects, 5
Aminoethanethiol
Secondary ion yield improvements for phosphated and sulfated molecules using substrate-enhanced time-of-flight secondary ion mass spectrometry, 113
Anions
Secondary ion yield improvements for phosphated and sulfated molecules using substrate-enhanced time-of-flight secondary ion mass spectrometry, 113
Atomic and molecular ion bombardment
Nonadditive sputtering of silicon by keV energy molecular projectiles of heavy and light elements, 141
Auxiliary ligand
The effects of coordination number and ligand size on the gas phase dissociation and stereochemical differentiation of cobalt-coordinated monosaccharides, 171
Auxiliary nitrogens
The effects of coordination number and ligand size on the gas phase dissociation and stereochemical differentiation of cobalt-coordinated monosaccharides, 171

Bacillus pumilus
Sequencing of novel protein from *Bacillus pumilus* PH-01 using a high-resolution hybrid quadrupole-time-of-flight mass spectrometer, 47
Beat frequency
A simulation study of coupled secular oscillations in nonlinear Paul trap mass spectrometers, 209
Beats
A simulation study of coupled secular oscillations in nonlinear Paul trap mass spectrometers, 209

CBS-QB3 computations
The chemistry of some low energy $C_5H_9O^+$ oxonium ions, 153
Cesium clusters
Useful yields of MCs^+ and MCs_2^+ clusters: a comparative study between the Cameca IMS 4f and the Cation Mass Spectrometer, 57
Chemical ionization
Concurrent use of H_3O^+, NO^+, and O_2^+ precursor ions for the detection and quantification of diverse trace gases in the presence of air and breath by selected ion-flow tube mass spectrometry, 81
Chloride adducts
The formation of chloride adducts in the detection of dinitro-compounds by ion mobility spectrometry, 185
Chromium speciation
Speciation of chromium compounds by laser ablation/ionization mass spectrometry and a study of matrix effects, 5
Clusters
Analysis of metastable decay by time-of-flight coincidence and kinetics energy measurements, 197
Rhenium oxide cluster anions in a molecular beam, 1
Cobalt-coordinated monosaccharides
The effects of coordination number and ligand size on the gas phase dissociation and stereochemical differentiation of cobalt-coordinated monosaccharides, 171
Coincidence
Analysis of metastable decay by time-of-flight coincidence and kinetics energy measurements, 197
Coupling
A simulation study of coupled secular oscillations in nonlinear Paul trap mass spectrometers, 209
Coupling strength
A simulation study of coupled secular oscillations in nonlinear Paul trap mass spectrometers, 209

Depth profiling analysis
Improvement of detection limit for secondary-ion mass spectrometry depth profiling of argon in silicon by energy filtering, 31
Deuterium and ^{13}C-labeling
The chemistry of some low energy $C_5H_9O^+$ oxonium ions, 153
Dication
Kinetic-energy release and intercharge distance of the sulfur dioxide dication (SO_2^{2+}), 125

Dimethyldinitrobutane
The formation of chloride adducts in the detection of dinitro-compounds by ion mobility spectrometry, 185
Dinitro compounds
The formation of chloride adducts in the detection of dinitro-compounds by ion mobility spectrometry, 185

Electron impact mass spectrometry
Quartz tip for supersonic molecular beams in gas chromatography/electron impact mass spectrometry, 133
Electron ionization
The energies of the triply excited $n = 2$ intrashell He^- resonances $2s^22p$ and $2s2p^2$ revisited, 23
Energy-filtering technique
Improvement of detection limit for secondary-ion mass spectrometry depth profiling of argon in silicon by energy filtering, 31
Enthalpy of association
The formation of chloride adducts in the detection of dinitro-compounds by ion mobility spectrometry, 185
Excitation
A simulation study of coupled secular oscillations in nonlinear Paul trap mass spectrometers, 209

Food chemistry
Lithium ion attachment mass spectrometry for on-line analysis of trace components in air: direct introduction, 39
Fragmentation
Kinetic-energy release and intercharge distance of the sulfur dioxide dication (SO_2^{2+}), 125
FTICRMS
Speciation of chromium compounds by laser ablation/ionization mass spectrometry and a study of matrix effects, 5
Fullerene derivatives
Formation of odd-numbered fullerene-related species and its relation to the formation of metallofullerenes, 69

Gas chromatography
Quartz tip for supersonic molecular beams in gas chromatography/electron impact mass spectrometry, 133
Gas phase dissociation
The effects of coordination number and ligand size on the gas phase dissociation and stereochemical differentiation of cobalt-coordinated monosaccharides, 171

Helium
The energies of the triply excited $n = 2$ intrashell He^- resonances $2s^22p$ and $2s2p^2$ revisited, 23
High-energy resolution
The energies of the triply excited $n = 2$ intrashell He^- resonances $2s^22p$ and $2s2p^2$ revisited, 23
Histidine
Side-chain involvement in the fragmentation reactions of the protonated methyl esters of histidine and its peptides, 99
Hybrid Q-TOF MS
Sequencing of novel protein from *Bacillus pumilus* PH-01 using a high-resolution hybrid quadrupole-time-of-flight mass spectrometer, 47

Implantation
Improvement of detection limit for secondary-ion mass spectrometry depth profiling of argon in silicon by energy filtering, 31
Inorganic mass spectrometry
Speciation of chromium compounds by laser ablation/ionization mass spectrometry and a study of matrix effects, 5
Intercharge distance
Kinetic-energy release and intercharge distance of the sulfur dioxide dication (SO_2^{2+}), 125
Ion mobility spectrometry
The formation of chloride adducts in the detection of dinitro-compounds by ion mobility spectrometry, 187
Ion-neutral complex
The chemistry of some low energy $C_5H_9O^+$ oxonium ions, 153
Ion-solid interaction
Nonadditive sputtering of silicon by keV energy molecular projectiles of heavy and light elements, 141

Kinetic-energy release
The chemistry of some low energy $C_5H_9O^+$ oxonium ions, 153
Kinetic-energy release and intercharge distance of the sulfur dioxide dication (SO_2^{2+}), 125

Laser ablation
Formation of odd-numbered fullerene-related species and its relation to the formation of metallofullerenes, 69
LiF
Analysis of metastable decay by time-of-flight coincidence and kinetics energy measurements, 197
Li^+ ion attachment
Lithium ion attachment mass spectrometry for on-line analysis of trace components in air: direct introduction, 39

Mass spectrometry
Rhenium oxide cluster anions in a molecular beam, 1
Matrix effects
Speciation of chromium compounds by laser ablation/ionization mass spectrometry and a study of matrix effects, 5

Metallofullerenes
Formation of odd-numbered fullerene-related species and its relation to the formation of metallofullerenes, 69
Metastable
Analysis of metastable decay by time-of-flight coincidence and kinetics energy measurements, 197
MS/MS
Sequencing of novel protein from *Bacillus pumilus* PH-01 using a high-resolution hybrid quadrupole-time-of-flight mass spectrometer, 47
Multistage mass spectrometry
Side-chain involvement in the fragmentation reactions of the protonated methyl esters of histidine and its peptides, 99

Neutralization-reionization mass spectrometry
The chemistry of some low energy $C_5H_9O^+$ oxonium ions, 153
Nonlinear traps
A simulation study of coupled secular oscillations in nonlinear Paul trap mass spectrometers, 209

Odd-numbered carbon clusters
Formation of odd-numbered fullerene-related species and its relation to the formation of metallofullerenes, 69

Perturbed secular frequency
A simulation study of coupled secular oscillations in nonlinear Paul trap mass spectrometers, 209
Phospholipids
Secondary ion yield improvements for phosphated and sulfated molecules using substrate-enhanced time-of-flight secondary ion mass spectrometry, 113
Plasma desorption
Analysis of metastable decay by time-of-flight coincidence and kinetics energy measurements, 197
Precursor ions
Concurrent use of H_3O^+, NO^+, and O_2^+ precursor ions for the detection and quantification of diverse trace gases in the presence of air and breath by selected ion-flow tube mass spectrometry, 81
Protein
Sequencing of novel protein from *Bacillus pumilus* PH-01 using a high-resolution hybrid quadrupole-time-of-flight mass spectrometer, 47
Protein identification
Sequencing of novel protein from *Bacillus pumilus* PH-01 using a high-resolution hybrid quadrupole-time-of-flight mass spectrometer, 47
Protonated peptide fragmentation
Side-chain involvement in the fragmentation reactions of the protonated methyl esters of histidine and its peptides, 99

Quadrupole mass spectrometry
Lithium ion attachment mass spectrometry for on-line analysis of trace components in air: direct introduction, 39
Quantification
Useful yields of MCs^+ and MCs_2^+ clusters: a comparative study between the Cameca IMS 4f and the Cation Mass Spectrometer, 57
Quartz tip
Quartz tip for supersonic molecular beams in gas chromatography/electron impact mass spectrometry, 133

Rare gases
Improvement of detection limit for secondary-ion mass spectrometry depth profiling of argon in silicon by energy filtering, 31
Rearrangement
The chemistry of some low energy $C_5H_9O^+$ oxonium ions, 153
Resonances
The energies of the triply excited $n = 2$ intrashell He^- resonances $2s^22p$ and $2s2p^2$ revisited, 23
Rhenium oxides
Rhenium oxide cluster anions in a molecular beam, 1

Secondary ion mass spectrometry
Improvement of detection limit for secondary-ion mass spectrometry depth profiling of argon in silicon by energy filtering, 31
Nonadditive sputtering of silicon by keV energy molecular projectiles of heavy and light elements, 141
Useful yields of MCs^+ and MCs_2^+ clusters: a comparative study between the Cameca IMS 4f and the Cation Mass Spectrometer, 57
Self-assembled monolayer
Secondary ion yield improvements for phosphated and sulfated molecules using substrate-enhanced time-of-flight secondary ion mass spectrometry, 113
Sequencing
Sequencing of novel protein from *Bacillus pumilus* PH-01 using a high-resolution hybrid quadrupole-time-of-flight mass spectrometer, 47
SIFT-MS
Concurrent use of H_3O^+, NO^+, and O_2^+ precursor ions for the detection and quantification of diverse trace gases in the presence of air and breath by selected ion-flow tube mass spectrometry, 81
Silicon

Nonadditive sputtering of silicon by keV energy molecular projectiles of heavy and light elements, 141
SO_2^{2+}
Kinetic-energy release and intercharge distance of the sulfur dioxide dication (SO_2^{2+}), 125
Sputtering
Nonadditive sputtering of silicon by keV energy molecular projectiles of heavy and light elements, 141
Stationary cesium surface concentration
Useful yields of MCs^+ and MCs_2^+ clusters: a comparative study between the Cameca IMS 4f and the Cation Mass Spectrometer, 57
Strawberry
Lithium ion attachment mass spectrometry for on-line analysis of trace components in air: direct introduction, 39
Sulfur dioxide
Kinetic-energy release and intercharge distance of the sulfur dioxide dication (SO_2^{2+}), 125
Supersonic molecular beam
Quartz tip for supersonic molecular beams in gas chromatography/electron impact mass spectrometry, 133

Time-of-flight
Analysis of metastable decay by time-of-flight coincidence and kinetics energy measurements, 197
Time-of-flight mass spectrometry
Formation of odd-numbered fullerene-related species and its relation to the formation of metallofullerenes, 69
Time-of-flight-secondary ion mass spectrometry
Secondary ion yield improvements for phosphated and sulfated molecules using substrate-enhanced time-of-flight secondary ion mass spectrometry, 113
Trace-gas analysis
Concurrent use of H_3O^+, NO^+, and O_2^+ precursor ions for the detection and quantification of diverse trace gases in the presence of air and breath by selected ion-flow tube mass spectrometry, 81
Transition metal oxides
Rhenium oxide cluster anions in a molecular beam, 1

Useful yield
Useful yields of MCs^+ and MCs_2^+ clusters: a comparative study between the Cameca IMS 4f and the Cation Mass Spectrometer, 57

Volatile organic compounds
Lithium ion attachment mass spectrometry for on-line analysis of trace components in air: direct introduction, 39